

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

CM

00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	REVISED PER ECR-12-003555	19APR2012	RS	DD
	A2	REVISED PER ECR-12-016877	20OCT2012	RS	DD
	B	REVISED PER ECR-15-004054	28JUL2015	RS	DD
	C	REVISED PER ECR-15-017995	18DEC2015	RS	DD

CENTER OF GRAVITY

3.81

CENTER OF GRAVITY

7

5

TE

7.75

5.8

2 POSITION SHOWN CLOSED

SCALE 8:1

7.75

FOR 2, 3 AND 4 POSITIONS

17.70

13.70

9.70

5.70

RED

24 AWG

24 AWG

24 AWG

24 AWG

GREEN

4

3

2

1

BLUE

17.70

13.70

9.70

5.70

GREEN

22 AWG

22 AWG

22 AWG

22 AWG

BLUE

4

3

2

1

YELLOW

17.70

13.70

9.70

5.70

YELLOW

18 AWG

18 AWG

18 AWG

18 AWG

COLOR CODE

4

3

2

1

DIM D

3-2106431-4

3-2106431-3

3-2106431-2

3-2106431-1

2-2106431-4

2-2106431-3

2-2106431-2

2-2106431-1

1-2106431-4

1-2106431-3

1-2106431-2

1-2106431-1

2106431-4

2106431-3

2106431-2

2106431-1

PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

C DAILY

09DEC2008

CHK

J DYER

09DEC2008

APVD

-

PRODUCT SPEC

108-2404

APPLICATION SPEC

114-13266

WEIGHT

-

Customer Drawing

DIMENSIONS:

mm

0 PLC

±

0

1 PLC

±

0.5

2 PLC

±

0.13

3 PLC

±

-

4 PLC

±

-

ANGLES

±

-

FINISH

±

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

±

-

NAME

ASSEMBLY, IDC SSL CONNECTOR, SMT, PASS THRU

SIZE

A2

CAGE CODE

00779

DRAWING NO

2106431

RESTRICTED TO

-

SCALE

8:1

SHEET

1

OF

3

REV

C

1471-9 (3/11)

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4

1

2

3

4


1

2


3

4


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-




1 POSITION
RECOMMENDED PAD LAYOUT
SCALE 8:1




3 POSITION
RECOMMENDED PAD LAYOUT
SCALE 8:1






2 POSITION
RECOMMENDED PAD LAYOUT
SCALE 8:1



4 POSITION
RECOMMENDED PAD LAYOUT
SCALE 8:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 09DEC2008 C DAILY CHK J DYER 09DEC2008 APVD -		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±. 4 PLC ±. ANGLES ±.		NAME ASSEMBLY, IDC SSL CONNECTOR, SMT, PASS THRU	
MATERIAL - material_2		PRODUCT SPEC 108-2404 APPLICATION SPEC 114-13266 WEIGHT -		SIZE A2	CAGE CODE 00779
finish_spec_2		RESTRICTED TO -		DRAWING NO C-2106431	
Customer Drawing				SCALE 8:1	SHEET OF 3
				REV C	

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



SECTION X-X

2106431-2 SHOWN IN POCKET TAPE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C DAILY CHK J DYER APVD -	09DEC2008 09DEC2008	TE TE Connectivity	
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC	NAME	ASSEMBLY, IDC SSL CONNECTOR, SMT, PASS THRU	
mm	0 PLC ± 1 PLC ±0.5 2 PLC ±0.13 3 PLC ± 4 PLC ±	108-2404	SIZE		
MATERIAL	FINISH	APPLICATION SPEC	CAGE CODE	DRAWING NO	RESTRICTED TO
-	-	114-13266	A200779	C-2106431	-
material_2	finish_spec_2	Customer Drawing	SCALE	SHEET	REV
			8:1	1 OF 3	C