

Features

- Nickel plated body provides a heavy duty build quality
- Gold contacts ensure maximum efficiency
- Solder tab termination method
-

RS PRO Jack Panel Mount BNC Connector

RS Stock No.: 546-4910



RS PRO is the own brand of RS. The RS PRO Seal of Approval is your assurance of professional quality, a guarantee that every part is rigorously tested, inspected, and audited against demanding standards. Making RS PRO the Smart Choice for our customers.

Product Description

The connector has a robust nickel plated body, and features the secure and convenient bayonet coupling system typical of a BNC connector. The centre pin contact is gold plated, for excellent conductivity over a long service life, and there is also a ABS insulator for increased reliability.

General Specifications

| | |
|------------------------|---|
| Coaxial Connector Type | BNC Connector |
| Gender | Female |
| Mounting Type | Panel Mount |
| Termination Method | Solder |
| Body Orientation | Straight |
| Bulkhead | Yes |
| Body Plating | Nickel |
| Contact Material | Brass |
| Contact Plating | Gold |
| Application | Antennas; Industrial; Wireless; Broadband; Military |
| Body Material | Brass |
| Insulation Material | ABS |
| Standard Met | RoHS Compliant |

Electrical Specifications

| | |
|------------------------------------|---------------|
| Impedance | 50ohm |
| Polarity | Normal |
| Operating Frequency | 4GHz |
| VSWR (Voltage Standing Wave Ratio) | 1.3max @ 1GHz |

Operation Environment Specifications

| | |
|-------------------------------|-------|
| Minimum Operating Temperature | -40°C |
| Maximum Operating Temperature | 60°C |