

2355151-3 ✓ ACTIVE


TE Internal #: 2355151-3

Single Wire Seal, Silicone, Blue, 16.6 mm [.653 in] Cavity Diameter, .791 – .823 in [20.1 – 20.9 mm] Insulation Diameter, 1 Position

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Single Wire Seal**

Primary Product Material: **Silicone**

Primary Product Color: **Blue**

Cavity Diameter: **16.6 mm [.653 in]**

Compatible Insulation Diameter Range: **20.1 – 20.9 mm [.791 – .823 in]**

## Features

### Product Type Features

Connector Seal & Plug Type	Single Wire Seal
----------------------------	------------------

### Configuration Features

Number of Positions	1
---------------------	---

### Body Features

Primary Product Material	Silicone
--------------------------	----------

Primary Product Color	Blue
-----------------------	------

### Housing Features

Centerline (Pitch)	40 mm[1.57 in]
--------------------	----------------

### Dimensions

Cavity Diameter	16.6 mm[.653 in]
-----------------	------------------

Compatible Insulation Diameter Range	20.1 – 20.9 mm[.791 – .823 in]
--------------------------------------	--------------------------------

### Usage Conditions

Operating Temperature (Max)	288 °C[140 °F]
-----------------------------	----------------

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
-----------------------------	----------------------------



Other

Resistance to Hydrocarbons	Excellent
Shore A Hardness	30 – 35
Contains Lubricant	Yes

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2355146-1  
3POS,IPT,RING TONGUE HSG ASSY, SLD



TE Part # 2355146-2  
3POS,IPT,RING TONGUE HSG ASSY, SLD







TE Part # 2371017-1  
2POS,IPT,RING TONGUE HSG ASSY, SLD



TE Part # 2371017-2  
2POS,IPT,RING TONGUE HSG ASSY, SLD



## Customers Also Bought



## Documents

### Product Drawings

[SWS,COAX](#)

English

### CAD Files

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_2355151-3\\_A.2d\\_dxf.zip](#)

English

[Customer View Model](#)

2355151-3

Single Wire Seal, Silicone, Blue, 16.6 mm [.653 in] Cavity Diameter, .791 – .823 in [20.1 – 20.9 mm] Insulation Diameter, 1 Position



[ENG\\_CVM\\_CVM\\_2355151-3\\_A.3d\\_stp.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_2355151-3\\_A.3d\\_igs.zip](#)

English

**3D PDF**

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

**Datasheets & Catalog Pages**

**HIVONEX CONNECTORS & CHARGING SOLUTIONS**

English

---

**Product Specifications**

**Application Specification**

English